

6th Grade Advanced Math

2021-2022

Robertsville Middle School Syllabus

Major Assignments:

- Unit tests for units of study: Ratios, unit rates and percentages, expressions and equations, proportional relationships, rational numbers and number arithmetic, expressions, equations and inequalities, data sets and distributions, measuring circles, angles, triangles and prisms.
- We will also have one PBL project. The PBL project will be an extensive project that will require students to produce a product that will be graded using the RMS building level STEM rubric.

Field Trips: No set field trips are planned. However, depending on the research needed to complete the PBL projects, we may need to take students into the field.

How can parents access instructional materials? Canvas, Clever, openupresources.org, [ixl.com](https://www.ixl.com), or by e-mailing/calling the classroom teacher.

6th Grade Advanced Math

2021-2022

Term 1

Percentages (KH 6 Acc. Unit 2 Lessons 20-26)

- 6.RP.A.3** Use ratio and rate reasoning to solve real-world and mathematical problems (e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations).
- Make tables of equivalent ratios relating quantities with whole number measurements, find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare ratios.
 - Solve unit rate problems including those involving unit pricing and constant speed. *For example, if a runner ran 10 miles in 90 minutes, running at that speed, how long will it take him to run 6 miles? How fast is he running in miles per hour?*
 - Use ratio reasoning to convert customary and metric measurement units (within the same system); manipulate and transform units appropriately when multiplying or dividing quantities.

Expressions and Equations (KH 6 Acc. Unit 4)

- 6.EE.A.1** Write and evaluate numerical expressions involving whole-number exponents.
- 6.EE.A.2** Write, read, and evaluate expressions in which variables stand for numbers.
- Write expressions that record operations with numbers and with variables. *For example, express the calculation "Subtract y from 5" as $5 - y$.*
 - Identify parts of an expression using mathematical terms (sum, term, product, factor, quotient, coefficient); view one or more parts of an expression as a single entity. *For example, describe the expression $2(8 + 7)$ as a product of two factors; view $(8 + 7)$ as both a single entity and a sum of two terms.*
 - Evaluate expressions at specific values of their variables. Include expressions that arise from formulas used in real-world problems. Perform arithmetic operations, including those involving whole number exponents, in the conventional order when there are no parentheses to specify a particular order (Order of Operations).
- 6.EE.A.3** Apply the properties of operations (including, but not limited to, commutative, associative, and distributive properties) to generate equivalent expressions. The distributive property is prominent here. *For example, apply the distributive property to the expression $3(2 + x)$ to produce the equivalent expression $6 + 3x$; apply the distributive property to the expression $24x + 18y$ to produce the equivalent expression $6(4x + 3y)$; apply properties of operations to $y + y + y$ to produce the equivalent expression $3y$.*
- 6.EE.A.4** Identify when expressions are equivalent (i.e., when the expressions name the same number regardless of which value is substituted into them). *For example, the expression $5b + 3b$ is equivalent to $(5 + 3)b$, which is equivalent to $8b$.*

6th Grade Advanced Math

2021-2022

Term 1

Expressions and Equations Cont. (KH 6 Acc Unit 4)

6.EE.B.5 Understand solving an equation or inequality is carried out by determining if any of the values from a given set make the equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.

6.EE.B.6 Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.

6.EE.B.7 Solve real-world and mathematical problems by writing and solving one-step equations of the form $x + p = q$ and $px = q$ for cases in which p , q , and x are all nonnegative rational numbers.

6.EE.B.8 Interpret and write an inequality of the form $x > c$ or $x < c$ which represents a condition or constraint in a real-world or mathematical problem. Recognize that inequalities have infinitely many solutions; represent solutions of inequalities on number line diagrams.

6.EE.C.9 Use variables to represent two quantities in a real-world problem that change in relationship to one another. *For example, Susan is putting money in her savings account by depositing a set amount each week (50). Represent her savings account balance with respect to the number of weekly deposits ($s = 50w$, illustrating the relationship between balance amount s and number of weeks w).*

- Write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable.
- Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.

Proportional Relationship (KH 6 Acc Unit 5)

7.RP.A.2 Recognize and represent proportional relationships between quantities.

- Decide whether two quantities are in a proportional relationship (e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin).
- Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships.
- Represent proportional relationships by equations. *For example, if total cost t is proportional to the number n of items purchased at a constant price p , the relationship between the total cost and the number of items can be expressed as $t = pn$.*
- Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.

6th Grade Advanced Math

2020-2021

Term 2

Proportional Relationship Cont. (KH 6 Acc Unit 5)

7.G.B.3 Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.

Percentage Increase and Decrease (KH 6 Acc. Unit 6)

7.RP.A.3 Use proportional relationships to solve multi-step ratio and percent problems. *Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error.*

Rational Numbers (KH 6 ACC. Unit 7)

6.NS.C.5 Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

6.NS.C.6 Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane with negative number coordinates.

- Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself. *For example, $-(-3) = 3$, and that 0 is its own opposite.*
- Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.
- Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane

6.NS.C.8 Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.

6th Grade Advanced Math

2020-2021

Term 2

Rational Numbers Cont. (KH 6 ACC. Unit 7)

6.NS.C.7 Understand ordering and absolute value of rational numbers.

- Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. *For example, interpret $-3 > -7$ as a statement that -3 is located to the right of -7 on a number line oriented from left to right.*
- Write, interpret, and explain statements of order for rational numbers in real-world contexts. *For example, write $-3\text{ }^{\circ}\text{C} > -7\text{ }^{\circ}\text{C}$ to express the fact that $-3\text{ }^{\circ}\text{C}$ is warmer than $-7\text{ }^{\circ}\text{C}$.*
- Understand the absolute value of a rational number as its distance from 0 on the number line and distinguish comparisons of absolute value from statements about order in a real-world context. *For example, an account balance of -24 dollars represents a greater debt than an account balance -14 dollars because -24 is located to the left of -14 on the number line.*

7.NS.A.1 Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.

- Describe situations in which opposite quantities combine to make 0.
- Understand $p + q$ as the number located a distance $|q|$ from p , in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real world contexts.
- Understand subtraction of rational numbers as adding the additive inverse $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts.
- Apply properties of operations as strategies to add and subtract rational numbers.

7.EE.B.3 Solve multi-step real-world and mathematical problems posed with positive and negative rational numbers presented in any form (whole numbers, fractions, and decimals).

- Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate.
- Assess the reasonableness of answers using mental computation and estimation strategies.

7.EE.B.4 Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities. **a.** Solve contextual problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. *For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?*

6th Grade Advanced Math

2020-2021

Term 3

Rational Numbers Cont. (KH 6 ACC. Unit 7)

- 7.NS.A.2** Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers.
- Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.
 - Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.
 - Apply properties of operations as strategies to multiply and divide rational numbers.
 - Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

7.NS.A.3 Solve real-world and mathematical problems involving the four operations with rational numbers. (Computations with rational numbers extend the rules for manipulating fractions to complex fractions.)

Writing and Solving Equations (KH 7 Acc. Unit 3)

7.EE.A.2 Understand that rewriting an expression in different forms in a contextual problem can provide multiple ways of interpreting the problem and how the quantities in it are related. *For example, shoes are on sale at a 25% discount. How is the discounted price P related to the original cost C of the shoes? $C - .25C = P$. In other words, P is 75% of the original cost for $C - .25C$ can be written as $.75C$.*

- 7.EE.B.3** Solve multi-step real-world and mathematical problems posed with positive and negative rational numbers presented in any form (whole numbers, fractions, and decimals).
- Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate.
 - Assess the reasonableness of answers using mental computation and estimation strategies.

6th Grade Advanced Math

2020-2021

Term 3

Writing and Solving Equations Cont. (KH 7 Acc. Unit 3)

- 7.EE.B.4** Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.
- a. Solve contextual problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. *For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?*
- b. Solve contextual problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality on a number line and interpret it in the context of the problem. *For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.* (Note that inequalities using $>$, $<$, \leq , \geq are included in this standard).

Inequalities, Expressions, and Equations (KH 7 Acc. Unit 4)

- 6.EE.B.5** Understand solving an equation or inequality is carried out by determining if any of the values from a given set make the equation or inequality true. Use substitution to determine whether a given number in a specified set makes an equation or inequality true.
- 6.EE.B.6** Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.
- 6.EE.B.7** Solve real-world and mathematical problems by writing and solving one-step equations of the form $x + p = q$ and $px = q$ for cases in which p , q , and x are all nonnegative rational numbers.
- 6.EE.B.8** Interpret and write an inequality of the form $x > c$ or $x < c$ which represents a condition or constraint in a real-world or mathematical problem. Recognize that inequalities have infinitely many solutions; represent solutions of inequalities on number line diagrams.
- 7.EE.A.1** Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.

6th Grade Advanced Math

2020-2021

Term 3

Inequalities, Expressions, and Equations Cont. (KH 7 Acc. Unit 4)

- 7.EE.B.4** Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities.
- Solve contextual problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. *For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?*
 - Solve contextual problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality on a number line and interpret it in the context of the problem. *For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.* (Note that inequalities using $>$, $<$, \leq , \geq are included in this standard).

Surface Area (KH 6 Acc. Unit 1 Lessons 10-12)

- 6.G.A.4** Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.

6th Grade Advanced Math

2020-2021

Term 4

Data Sets and Distributions (KH Acc 6 Unit 8 Lessons 1-7)	6.SP.A.1 Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. <i>For example, “How old am I?” is not a statistical question, but “How old are the students in my school?” is a statistical question because one anticipates variability in students’ ages.</i>
	6.SP.A.2 Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center (mean, median, mode), spread (range), and overall shape.
	6.SP.A.3 Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.
	6.SP.B.4 Display a single set of numerical data using dot plots (line plots), box plots, pie charts and stem plots.
	6.SP.B.5 Summarize numerical data sets in relation to their context. a. Report the number of observations. b. Describe the nature of the attribute under investigation, including how it was measured and its units of measurement. c. Give quantitative measures of center (median and/or mean) and variability (range) as well as describing any overall pattern with reference to the context in which the data were gathered. d. Relate the choice of measures of center to the shape of the data distribution and the context in which the data were gathered.
Extension and Review	<p style="text-align: center;">KH 6 Acc Unit 9 – Putting it All Together Other Review</p>